




- Stainless Steel Hook Mounting System

www.egsolarenergy.com



Part summary

Hook

- Economical and reliable Allrounder
- Suitable for all common tile roofs/snow load zones
- Optimal adaptability to the roof with 2 mm or 5 mm shims
- Height of rail easily adjustable with pre-installed
- Clamp Combination (switch with Clamp Combination vertical for a vertical rail installation)
- Installer-friendly "top-down" design: just place the rail onto the Clamp Combination. One screw fixates the rail and locks in the height at the same time.
- Installation as single- or cross-rail system
- Material: Aluminum alloy




Product number:
SS Hook 5



Product number: SS Hook 5	Hook SS Hook 5	20 pcs. per PU
---------------------------	----------------	----------------

Mid clamp

- Universal mid and end clamp for panel thickness 30-40mm
- Highly pre-assembled; Adaptable to different rails
- Convenient snap-on installation;
- Mid clamp available with grounding pin
- Available in black anodized
- Material: Aluminum alloy



Product number:
EG-MC15-DG-30-50




Product number:
EG-MC15-DG02-30-50

Product number: EG-MC15-DG-30-50	Mid clamp EG-MC15-DG-30-50	100 pcs. per PU
Product number: EG-MC15-DG02-30-50	Mid clamp EG-MC15-DG02-30-50	100 pcs. per PU

End clamp



- Universal mid and end clamp for panel thickness 30-40mm
- Highly pre-assembled; Adaptable to different rails
- Convenient snap-on installation;
- Available in black anodized
- Material: Aluminum alloy



Product number: EG-EC15-DG-30-50	End clamp EG-EC15-DG-30-50	100 pcs. per PU
Product number: EG-EC15-DG02-30-50	End clamp EG-EC15-DG02-30-50	100 pcs. per PU

Rail

- Convenient and time-saving installation from the top
long rail can span over several ribs
- Installation on top of the rib ensures best accessibility and
greatest possible distance from the water-bearing layer
- Vertical module mounting
- Material: Aluminum alloy




Product number:
EG-R37

Product number: EG-R37	Rail EG-R37	100 pcs. per PU
------------------------	-------------	-----------------

Rail connector

- Extremely sturdy, for quick and accurate joining of profiles
- Time-saving
- For connecting module mounting profiles without possibly interfering external structure
- Material: Aluminum alloy





Product number:
EG-GJ-04

Product number: EG-GJ-04	Rail Connector 30 - 40	200 pcs. per PU
--------------------------	------------------------	-----------------

Grounding lug

- Fixed line, prevent line clutter
- Material: Aluminum alloy




Product number:
EG-GL-01

Product number: EG-GL-01	Grounding Lug EG-GL-01	200 pcs. per PU
--------------------------	------------------------	-----------------

Rail cap

- Greatly reduce the damage caused by foreign body intrusion
- Reduce the accumulation of foreign matter, dust prevention
- Avoid rain accumulation during thunderstorms
- The total length of the standard guide rail is not changed
- Make the rotation of the main rail smooth
- Material: EPDM




Product number:
EG-R37-DG

Product number: EG-R37-DG	Rail Cap EG-R37-DG	400 pcs. per PU
---------------------------	--------------------	-----------------

PV cable clip

- Fixed line, prevent line clutter
- Material: Stainless steel




Product number:
EG-XJ-A

Product number: EG-XJ-A	PV cable clip EG-XJ-A	4000 pcs. per PU
-------------------------	-----------------------	------------------

Bolt

- The screw is with coarse threads most suitable for timber substructure and of high load-bearing capacity values. It can be drilled, tapped and fastened in one go.
- Material: Stainless steel




Product number:
EG-ST6.3*80

Product number: EG-ST6.3*80	Bolt EG-ST6.3*80	1360 pcs. per PU
-----------------------------	------------------	------------------

Hanger Bolt

- The SS304 stud bolt with point is suitable for ply and timber substructure. Applying a plate with stripe hole makes it easily adapt to the rail and adjusted.
- Material: Stainless steel




Product number:
EG-HK01-A

Product number: EG-HK01-A	200MM Hanger Bolt EG-HK01-A	800 pcs. per PU
Product number: EG-HK01-B	250MM Hanger Bolt EG-HK01-B	800 pcs. per PU


Components

Base components




Installation process


Hook - fix self-tapping screws




Hook - cover with tiles




Rail - install the rails




Rail - connect rails




Clamps - install clamps & PV panels



Clamps - single PV panel installation



Clamps - complete the installation




After completing the installation of PV panels and clamps in turn, check whether the bolts are tightened.

Thank you for choosing EG Solar stainless steel hook mounting system.

Stainless steel hook mounting system are quick and easy to install. We hope these instructions have helped. Please contact us if any questions or suggestions for improvement.

Our contact details:

- E-Mail: egsolar@egsolarsystem.com
- TEL: +86-17359890759 / +86-18633699291
- Web: www.egsolarenergy.com
- Office: Room 906, No. 990 Anling Road, Huli District, Xiamen, Fujian



Stainless steel hook

Product illustrations are exemplary and may differ from the original.

EG.SOLAR